


THE NEUROSCIENCE OF PHISHING

GIULIANO PAIÃO

A man and a robot are shown in profile, facing each other. The man is on the left, looking at a red apple held by the robot on the right. The robot has a metallic, futuristic appearance with blue eyes. The background is dark.

HOW **FAITH, GREED, AND PLEASURE**
DIVERTED OVER \$100 BILLION
REAL ATTACK CASES
G20, NATO, TWITTER (X) AND MORE

SYNOPSIS

The Neuroscience of Phishing

How human emotions are exploited with surgical precision in cyberattacks.

In this book, Giuliano Païão dismantles the false sense of security built by firewalls, strong passwords, and two-factor authentication, and reveals the most vulnerable and exploited area of digital security: the human mind.

The Neuroscience of Phishing delves into the emotional roots that make cyberattacks effective, even against experienced professionals and companies with robust infrastructure. Faith, pleasure, and greed are not just emotions; they are cognitive triggers that, once activated, disarm critical thinking and pave the way for compromise.

Using accessible yet technically precise language, the author presents scientific studies, real-world cases, social engineering techniques, open-source tools like GoPhish, and practical strategies for protecting what no antivirus can detect: human behavior.

This is not just a book about cybersecurity. It's a manual of psychological warfare. A work that shows that the greatest attacks don't begin with lines of code, but with lines of thought.

If you work with people, data, or decisions, this book is for you.

ALL RIGHTS RESERVED.

This book is protected by copyright. No part of this publication may be reproduced, stored in a retrieval system, transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the author, except for brief quotations for academic, journalistic, or critical purposes.

All names, brands, characters, and situations used in real-life examples have been rigorously documented and, where necessary, adapted or anonymized to protect identity.

Author: Giuliano Paião
© 2025 – All rights reserved.
1st edition – Brazil



Chapter 1

The heart is the new endpoint.

For decades, the cybersecurity industry has evolved with an almost exclusive focus on technology: smarter firewalls, antivirus software with advanced heuristics, multi-factor authentication, and virtually unbreakable encryption. But while the technical focus advanced, a critical area remained exposed: **the human factor**. And not just any human aspect, but **the emotion**.

Modern cyberattacks are no longer limited to exploiting vulnerable operating systems or applications. They target a deeper and far more susceptible layer: **in mind**. Social engineering has advanced. It's no longer a simple psychological trick. Today, it's structured, studied, automated, and executed with surgical precision. Its targets... They are not just devices, but sensations. Feelings. Instincts.

"Men are generally guided more by their eyes than by their hands; for everyone can see, but few understand what they see."

Niccolò Machiavelli

Sophisticated phishing doesn't rely solely on links or exploits. It rests on three universal psychological pillars, valid for any culture, any social class, any age: **faith, pleasure and greed**. These emotional triggers are so powerful that they disable critical thinking, suspend logical reasoning, and transform anyone into a vector of compromise. No credential is strong enough when the click comes from an emotional conviction. No system is... It is safe to say whether the operator is under the influence of a false promise of salvation, immediate pleasure, or easy wealth.

It is at this point that the true [character/character] is born. **zero-day** of modern security. Not the one unknown to software vendors, but the one that silently resides in the human subconscious. The invisible flaw that can be exploited without leaving logs, without triggering alerts, and without activating any antivirus. The flaw that we all carry.


It's important to recognize that current phishing campaigns have evolved in terms of narrative, aesthetics, and technique. The attacker no longer just wants you to click. **He wants you to believe. He wants you. He wants what you need.**

Incident reports from recent years reveal a pattern: initial access is no longer gained through elaborate remote exploitation techniques. It's gained through seemingly harmless emails, short and highly personalized messages, sent at just the right moment. A well-written subject line. A brief text, but loaded with emotional meaning. A link disguised as urgent. One click. And then, everything begins to fall apart.

In this book, we will explore in depth the emotional mechanisms behind the most sophisticated attacks of today. Each chapter will be dedicated to one of these pillars. **FAITH** the **PLEASURE** and to **GREED** not as abstract concepts, but as concrete attack surfaces.


We will present scientific studies, real-world cases, and practical applications. And more than that, we will teach you how to defend your organization not only with technology, but with behavioral understanding and psychological maturity.

Your company's greatest vulnerability may not lie in its systems, but in its perceptions. The endpoint is no longer the computer. **The new endpoint is the heart.**



Chapter 2

RELIGION: FAITH AS A COGNITIVE TOOL



"Religion was used by the founders of republics as a necessary instrument to keep the population obedient and united."

Discourses on the First Decade of Livy

Niccolò Machiavelli

From the dawn of civilization, faith has been a fundamental pillar of the human experience. In Paleolithic caves, in the temples of Ancient Egypt, in medieval cathedrals, and in modern churches, the desire to believe in something greater has always accompanied humankind.**faith**It offers comfort, meaning, and a shield against uncertainty. And precisely because it is so deeply rooted, it is also exploitable.

Social engineering based on religious themes is one of the most effective forms of psychological phishing. Unlike traditional attacks that exploit technical vulnerabilities, this approach directly targets the core of personal conviction. When a message appeals to faith, it bypasses logical reasoning and connects to an emotional blind spot. People don't read carefully when faced with what they believe to be a miracle, a revelation, or an attack on their beliefs. They react.

In a polarized world, where debates about faith occupy space in parliaments, on social media, and in the streets, a simple phrase like "see what they discovered about the end times" can lead thousands of people to click instantly. And the more aligned the

message is with the individual's worldview, the more effective it will be. Spiritual curiosity transforms into digital impulsiveness.

Phishing campaigns using religious content have been widely used in large-scale attacks. During the pandemic...**COVID-19**For example, emails impersonating spiritual leaders, from pastors to imams and rabbis, circulated globally, offering divine advice, prayer requests, or even miraculous healings. Many of these emails contained links to malware that, once clicked, silently installed backdoors on personal and corporate devices.

In the study **“Religion and the Psychology of Meaning”**, published by Routledge and Shariff in 2013, this logic is reinforced by showing that faith acts as an emotional and cognitive stabilizer. When activated, it reduces mechanisms of doubt and strengthens the propensity for immediate action. This characteristic, so valuable from a human perspective, becomes a vulnerability when manipulated by an attacker.

Case Study

The coup at St. John's Church

Motivation for the Attack

With faith and trust as a shield, religious communities are ideal targets for phishing attacks. Scammers know that believers have an affectionate and respectful relationship with their spiritual leaders, which facilitates the use of religious authority as a vector for emotional manipulation.

In May 2023, cybercriminals began exploiting this very bond of trust to carry out financial scams.

Who were the targets?

The targets were members of **St. John's Episcopal Church** in the United States, parishioners were accustomed to receiving communications from the church via email. The simple fact that a new name, Mr. Leslie, had been added to the parish's official website was enough for the attackers to launch the scam.

TECHNIQUE USED

1- The attackers created fake (spoofed) emails impersonating religious leaders from the parish, such as Mr. Leslie and Fr. Lonnie.

2- They used email addresses that looked similar to the official ones, but were not verified.

3- The messages contained emotional and urgency triggers, with phrases such as:

4"I need a favor urgently."

5- "Immediate attention required"

6- The emails asked victims to buy gift cards and send the codes via email – a common form of untraceable money transfer.

7- In some cases, victims were redirected to fake websites (phishing websites) to steal their financial data.

Evidence of the attack.

(no subject)  Inbox x



Rev. Lonnie Lacy <revlonnie.saintjohn@gmail.com>

12:41 PM (2 hours ago)

to me 

Hello Amanda, are you less busy at the moment? I have a request for you to manage confidentially. I will be into a meeting in few minutes, no calls so kindly respond via email.

Blessings!
Rev. Lonnie Lacy
Rector

From: "Rev. Lonnie Lacy" <lacylonnie.saintjohn@gmail.com>

Date: Thursday, October 6, 2022 at 2:34 PM

To

Subject: Re: Emily

Thanks for the swift reply, Here's what I want you to do for me because I think you are in the best position to do this for me discreetly.

I have been counseling and encouraging some cancer patients and aimed to reward them with " Gift Cards " this week to show how much we care about them.

This should be confidential until they all have the "Gift cards" as it's a surprise.

Can you get this done? and how soon? I will be responsible for the reimbursement personally.

WHY THE ATTACK WORKED

The exploration of **FAITH** And the religious authority created a scenario where the victim lowers their guard. After all, who would suspect a request coming "from the priest himself"?

Furthermore, the language used was approachable and familiar, mimicking the regal tone of the church's religious leaders.

The psychodynamics of faith doesn't demand proof; it demands surrender. And it is in that moment of surrender that the malicious link is accessed, the credentials are entered, and the system begins to crumble.

To defend against this type of attack, it is crucial that companies do not treat users solely as technical agents. Security training needs to include emotional and social contexts. It is necessary to talk about religion without offending, but with the clarity that it is also an attack surface. The creation of adaptive filters that identify emerging religious patterns, the use of tools such as...**VirusTotal**, **UrlScan**, **MXToolbox** and the analysis of campaigns using spiritual keywords should form part of the emotional defense matrix.

More than ever, faith needs to be respected, but also understood

as part of the modern cyber game. In a world where messages are read with more emotion than reason, true protection begins with understanding the human soul.

Chapter 3

PLEASURE: ORGASM AS A VECTOR OF IMPULSIVITY

The human mind is designed to seek rewards. Among all the body's natural rewards, sexual pleasure occupies one of the highest places in the hierarchy of desires. It is instinctive, irrational, and almost always urgent. This impulse is not merely a biological experience, but an exploitable weakness with a very high success rate in social engineering campaigns.

Unlike fear, which paralyzes, pleasure mobilizes. It propels us to act, often without reflection. And it is precisely this pattern of automatic action that makes pleasure, especially sexual pleasure, an effective vector for the compromise of systems and identities.

In corporate environments, the desire for privacy and secrecy about intimate behaviors creates the perfect breeding ground for manipulation. No one wants to admit to accessing adult content during work hours. No one wants anyone to know they received an erotic message. This silence and shame become allies of the attacker.



*"If man controlled his tongue and his sexual impulses,
many wars would have been avoided."*

Socrates

Centuries later, we remain vulnerable to the same impulses. And in cyberspace, the price of not controlling that impulse is high..

One of the most notorious cases occurred in 2020, when a phishing campaign was spread through emails supposedly sent by coworkers. The subject line was suggestive: **“Look what they leaked about you.”** The body of the email contained a link to a page that supposedly contained intimate photos of the victim or someone close to them. The page, a replica of popular media-sharing websites, required login access to view them. **In less than 48 hours, thousands of users had handed over their corporate credentials in more than ten countries.**

These attacks are effective because they operate on the limbic system, the brain region responsible for emotions and motivation. According to the study **“The Neurobiology of Sexual Behavior”**, published in **Frontiers in Neuroendocrinology** by Pfaus et al. (2009) However, orgasm activates the same brain circuits stimulated by opiates like morphine. This discovery positions sexual pleasure not only as a desire, but as a powerful reducer of rational judgment.

Case study

WHEN G20 CLICKED ON NUDITY

There was tension in the air. It was the G20. World leaders gathered, secrets exchanged behind closed doors, decisions that could change the course of the global economy debated in discreet rooms. And then, amidst the diplomacy and protocols, desire arose.

During the summit held in Paris in 2011, delegates and government representatives from countries such as **Czech Republic, Bulgaria, Portugal, Hungary** and **Latvia** They began receiving discreet emails with an almost irresistible subject line:

"See intimate photos of Carla Bruni."

Carla Bruni, former First Lady of France, renowned model, symbol of beauty and elegance. A woman who attracted attention and who, in that context, became a target.

The link seemed harmless. After all, who would suspect something like that in the middle of an international conference, amidst so many commitments and sensitive information? The click was quick. Automatic. Curious. And that was exactly what the hackers were hoping for.

Evidence of the Case



Upon accessing the link, the delegates' devices were silently compromised. OnetrojanIt installed itself without fanfare, granting the attackers complete remote access to the machines. They could see, hear, capture, track. Nothing was safe anymore. Desire had overcome judgment.

The attack, according to investigations, originated in **China** The objective? High-level espionage. Strategic information, classified

decisions, internal communications—everything was now at their disposal. cyber spies What seemed like just an "inconvenient" email turned into one of the biggest cybersecurity breaches within an international event.

This case revealed an unsettling secret: no matter how trained, experienced, or important the target is, we all have emotional weaknesses.

There, among ministers and diplomats, what collapsed was not just the security of the devices. The myth of invulnerability fell. The confidence in discretion. And, above all, the belief that desire can be contained by reason with a simple click.

This is the true power of social engineering: it doesn't break systems, it breaks people. This neurological response implies that, when faced with a promise of pleasure, the brain reduces the activity of the prefrontal cortex—the region responsible for critical thinking, risk assessment, and impulse control. This is why even experienced professionals, when confronted with sexual lures, make basic safety mistakes. The click, in this context, is more emotional than rational.


Case study

Desire brought down NATO soldiers.

Another notorious campaign took place in military settings. In 2018, soldiers from a base...**I WILL** They received invitations to add a supposed model on a social network. Private conversations were initiated, with suggestive photos being sent and promises of intimate videos. In exchange, the sending of a "**new version**" of a **video application**. The file, obviously, was a Trojan with keylogging, data exfiltration, and silent persistence capabilities.

The result: compromised multiple terminals and remote access to the base's internal systems.

Evidence of the case (training)



From the attacker's point of view, the sexual vector is simple to execute and offers a very high return. It only requires aligning three elements: a suggestive image, a plausible narrative, and a

shortened link. The victim fills in the rest with their own imagination.

For the defense, it is crucial to recognize that this type of bait cannot be treated as taboo. Ignoring its existence does not make it any less effective. Companies need to include the topic of pleasure and sexuality in awareness training. Internal campaigns should address the risks of erotic social engineering with seriousness and respect, but firmly.

From a technical standpoint, it is possible to implement containment and prevention measures, such as:

- I. **Traffic monitoring for domains with dubious reputations, especially those associated with pornography.**
- II. **Blocking shortened links and implementing URL preview systems.**
- III. **Using intelligent content filters with machine learning trained on sexual phishing patterns.**
- IV. **Erotic phishing simulations using tools like GoPhish, with metrics tracking and targeted educational reinforcement.**

In addition, it is possible to use tools such as **Cortex XSOAR**, **Proofpoint TAP** and **Zscaler** for proactive detection of campaigns with this characteristic, including semantic analysis of embedded messages and images.

Ultimately, pleasure will remain a powerful driver as long as it's a poorly understood desire. The challenge of modern security is developing strategies that protect people from themselves. Because the real exploit isn't the malicious code. It's the story the victim tells to justify the click.

Chapter 4

Greed: The insatiable desire for more.

If pleasure drives the moment, greed drives entire projects. It's a quieter emotion than lust, less controversial than faith, but no less dangerous. Greed presents itself as legitimate ambition, as a goal, as a desire to grow. However, when manipulated, it opens a breach as serious as any critical vulnerability. And that's exactly what cybercriminals exploit: the human desire for more, more money, more prestige, more ease, more return.

Unlike other emotional triggers, greed is socially accepted and even encouraged. It's present in advertising campaigns, promises of miracle courses, financial gurus, and exaggerated meritocratic discourse. Precisely for this reason, it's difficult to recognize it as a security flaw. But it is.

Social engineering driven by greed has become one of the main drivers of digital compromise, especially in corporate environments. Executives in a hurry for profit, employees seeking extra income, or even ordinary users looking for quick opportunities are all potential targets.

A prime example occurred in Brazil in 2021 during the cryptocurrency investment boom. An email circulated with the title "New currency promises 300% appreciation in 15 days - exclusive analysis by Forbes." The email contained forged graphs and links to a cloned investment platform. When attempting to register, victims entered bank details, personal information, and even scanned identity documents. In less than three weeks, more than 1,200 people had been scammed, with losses exceeding R\$12 million.



"Men are generally driven by two great passions: love and fear. But few can resist the promise of gain."

Niccolò Machiavelli - The Prince

Case study

The day Twitter was hacked.

The promise was simple, irresistible, and destructive: **"Send any amount in Bitcoin and receive double back"** The bait was thrown in mid-air, greed was the hook, and the world took the bite.

On July 15, 2020, Twitter, one of the world's largest communication platforms, was the scene of one of the most audacious cyberattacks in modern history. Verified accounts, symbols of digital authority, were transformed into instruments of fraud. **Elon Musk, Barack Obama, Apple, Uber** Among many others, they became puppets in a cruel manipulation. Behind the curtain, young people with technical knowledge and an invisible weapon: social engineering.

THE ORIGIN OF THE COUP: WHEN GREED ENTERS THE SCENE

It all started with a convincing lie. But it wasn't just any lie; it was a promise of instant wealth. A message dressed in generosity, advertised through globally trusted profiles: “We are giving back to the community. Send Bitcoin to this address and receive double in minutes.”

Greed speaks directly to the most primitive part of the human mind. The desire for easy profit is like wildfire; it spreads quickly and burns logic. In less than thirty minutes, the scammers collected over \$100,000 in Bitcoin, simply because people believed they were about to double their money. But what no one imagined was how, behind the scenes, the hackers had infiltrated the platform's nervous system.

Evidence of the case



En unos casos en el tweet se anunciaba que cualquier cantidad enviada llegaría doblada al usuario y en otras que las empresas hackeadas **donarían 10 millones de dólares** entre los seguidores.

Un hackeo que se salta la doble verificación

Esto, más allá de la estafa que entraña, también supone un grave problema de seguridad para una de las redes sociales más usadas en todo el mundo. Algunas cuentas hackeadas contaban con un **sistema de doble verificación** y aun así se ha podido penetrar en ellas.



MANIPULATION ENGINEERS

The attack didn't begin with complex code, but rather with voices on the phone. What the hackers did was as old as it is effective: they used social engineering. Disguised as members of Twitter's IT team, they contacted real employees, gained their trust, and gradually stole access credentials.

This type of approach is called spear **phishing**A focused, personalized hunt, where every move is calculated to break down resistance and convince the victim. The deceived employees gave up what the attackers wanted most: direct access to the company's administrative tools.

THE KEYS TO THE KINGDOM

With access in hand, the hackers unlocked a kind of internal "control panel," known as an agent tool, capable of resetting passwords, changing emails, and taking complete control of any account.

Imagine a castle, where the gates are locked with passwords and authentications. Now imagine that someone got hold of the master key to all those gates. That's what happened. The invaders didn't even need the users' real passwords. With the internal tool, they were able to manipulate everything, and they did it in grand style.

THE IMPACT

Around 130 accounts were compromised. These were not ordinary accounts. They were symbols of authority, power, and global trust. **Elon Musk, Joe Biden, Bill Gates, Apple...** they all seemed to be promoting the same message.

The move was surgical. Within minutes, thousands of people around the world believed they were participating in a legitimate act of charity or gratitude. **greed** It blinded skepticism. The

promise of financial return, coming from such respected names, seemed too genuine to be questioned.

THE COUNTERATTACK

Twitter's response was swift and desperate. To contain the damage, the company temporarily blocked verified accounts from posting tweets. For the first time, the big players were silent. A silence imposed by vulnerability.

Meanwhile, a task force was formed to understand the magnitude of the failure. Internal investigations began. Cybersecurity agencies were called in. Panic had already set in, not only because of the stolen money, but also because of the breach of trust.

The investigation led to the arrest of three individuals. The leader? A young man of only 17 years old, from Florida. A boy with more skills than maturity, guided by the same desire as his targets: easy profit, recognition, and power.

They faced charges of wire fraud, system intrusion, and money laundering. But what this case showed us goes beyond a criminal trial. It showed how even the most powerful platforms are vulnerable to human manipulation.

Twitter's biggest mistake wasn't a technical failure. It was human error. Trust, lack of training, the absence of multi-factor authentication for critical actions—all of this created vulnerabilities that not even the best firewall could protect.

This attack taught the world that cybersecurity is not just about technology, but also about psychology. That the **greed**It is often the weakest link in the chain. And when exploited by malicious minds, it can bring down even the giants of the digital age.

"Trust is built in drops, but lost in buckets."

Kevin Mitnick

This chapter was more than just an account of an invasion. It was a mirror of the human condition in the face of the promise of easy money. And a warning: as long as there is **greed** there will be those who exploit it.

These attacks don't just work because of the compelling aesthetics or website design. They work because they tap into an internal narrative: that **"This time it will work out"**. or of what **"Nothing ventured, nothing gained"** It is a model of exploitation based on economic hope.

The study **"Greed, Envy and Financial Decision Making"**, published by Rao e George em 2016 no **Journal of Behavioral and Experimental Economics** This demonstrates that greed activates the same neurological circuits as fear and euphoria. It is an emotion that diminishes self-control, compromises logical reasoning, and leads the individual to ignore obvious warning signs. The promise of immediate gain negates prudence.

In a simulation conducted by a large security consulting firm in the United States, a Red Team sent emails to 100 CFOs of publicly traded companies. The subject line was simple: **"BlackRock report with strategies to multiply your capital in the next 30 days."** Seventy-four people clicked.

Fifty-two filled in their details on a fake landing page. Forty-six handed over full access to their corporate email account.

What this statistic reveals is not just a technical problem, but a human phenomenon: blind greed. And when it manifests at the top of the hierarchy, the risk spreads throughout the entire organization.

To mitigate this type of threat, it is essential to implement policies that go beyond traditional awareness campaigns. Some strategies include:

- I. **Simulated phishing campaigns using financial bait: promises of bonuses, investments, productivity rewards.**
- II. **Behavioral analysis based on suspicious engagement with unauthorized investment materials.**
- III. **Integration of tools such as DNSTwist, Phishtank, OpenPhish, and urlscan.io to monitor clones of brokerage firms, investment platforms, and bank websites.**
- IV. **Creating adaptive filters based on machine learning to detect fraud attempts based on the linguistic pattern of greed.**

From a cultural standpoint, companies should reconsider their discourse on **"Meritocracy at any cost."** A corporate environment that fosters aggressive, unethical rewards also creates fertile ground for the illusion of an unmissable opportunity.

Greed, like pleasure, is never satisfied. Each achievement opens the door to new ambition. The German philosopher already warned:

*"We live in an endless cycle between the desire to possess
and the boredom after conquering."*


Arthur Schopenhauer

This mechanism is precisely what attackers use as an emotional basis for manipulation.

No company is immune. No person is free. The difference between security and compromise, in this case, lies in the ability to recognize that what seems too good to be true almost always is. And when the instinct to accumulate outweighs the logic of evaluation, the vulnerability has already been exploited before the click even happens.

Chapter 5

O ZERO-DAY FROM THE HUMAN MIND



The term **“zero-day”**It's familiar to any information security professional. It represents a vulnerability unknown to developers and vendors, with no patch yet available, that can be exploited silently and devastatingly. Generally, the most valued zero-days on the black market are those that allow remote code execution, privilege escalation, or persistent access without detection. But there's a type of zero-day you won't find in operating systems, browsers, or frameworks. It's in the human mind.

Unlike technical flaws, cognitive vulnerability cannot be fixed with software updates. It's not a faulty line of code, but a neurological condition: susceptibility to manipulation. This invisible zero-day manifests itself through cognitive biases, emotional impulses, and behavioral patterns that have been shaped throughout human evolution. And it is extremely exploitable by attackers who understand human behavior as well as they understand networks and protocols.

Among the main vectors of emotional exploitation that fit into this category are the well-known: **FAITH, PLEASURE AND GREED**. However, the true power of the zero-day mentality lies in the sum of these factors with the context. An email with religious appeal might go unnoticed on an ordinary day, but it can be extremely effective during a time of social instability. An erotic link might be ignored during work hours, but it becomes irresistible during lonely times. A financial offer might seem suspicious in times of stability, but it becomes plausible amidst economic crises.

Exploring the emotional zero-day It is therefore contextual and personalized. Modern attackers use over-the-counter intelligence (OSINT) techniques to deeply understand the target before casting their bait. Social networks, public comments,

leaked email lists, visible preferences, and engagement patterns are analyzed to build a psychological profile. This practice, known as emotional profiling, allows the phishing message to be precisely tailored to the victim's beliefs, desires, and weaknesses.

In one of the tests conducted by a security company focused on social engineering, phishing emails were created based on a prior analysis of employee profiles. The team used tools to scan social networks, forums, and public data. One of the targets, identified as a father of three and involved with a local religious group, received an email with the subject line...**"Emergency prayer campaign for sick children - participate and share."**The link led to a page identical to the institution's official website, with a "confirmation of attendance" form. By filling it out, the target handed over access credentials. The campaign had a 78% success rate and was terminated after seven minutes of operation.

This simulation revealed what many experts already know: the weakest link in security is not technical. It's emotional. And when emotion is aligned with timing, context, and personalization, not even the most highly trained professional is immune.

There is an additional aggravating factor. The educational and corporate systems teach users to identify technical threats—file extensions, suspicious URLs, grammatical errors. But few know how to identify emotional threats. No one is trained to recognize

when they are being psychologically manipulated. This lack of preparation transforms each employee into a latent vector.

Protection against the zero-day of the human mind begins with recognizing one's own fragility. Awareness of our vulnerability is the first step in mitigating risks. Organizations need to go beyond conventional training and invest in emotional education, psychology applied to safety, and building a culture that fosters critical thinking.

Some practical actions include:

- i. Mapping behavioral profiles using predictive analytics tools;**
- ii. Continuous simulations with contextual and emotionally charged scenarios;**
- iii. Manipulation recognition training with a focus on cognitive biases;**
- iv. Integration of psychologists and behavioral scientists into awareness teams.**

The human mind is a complex system, and like any system, it is subject to flaws. What makes it different is that these flaws are invisible to the scanner, unpredictable to the SIEM, and often denied by the victim themselves. This is why this is the most dangerous zero-day of all.

*"The human soul is stronger than anything, except desire,
which it does not understand."*

Napoleon Bonaparte

Chapter 6

The Anatomy of an Emotional Breakdown FROM BAIT TO COMMITMENT

The effectiveness of a social engineering attack lies not only in the technical quality of the fraud, but also in how it is conducted from beginning to end. Just as a traditional digital attack follows a chain of events—recognition, exploitation, access, and persistence—an emotional attack also follows a logical structure. The difference lies in the vectors used. Instead of network packets or malicious code, narratives, psychological triggers, and carefully crafted language are employed.

This chapter presents the complete anatomy of an emotional attack, analyzing each step based on real-world examples and technical-behavioral structure. The goal is to demonstrate how human manipulation can be systematized and reproduced with precision similar to the development of a malware campaign.

RECOGNITION

EMOTIONAL OSINT

Every attack begins with information. In the case of emotional social engineering, this information is not limited to network infrastructure or systems in use. It focuses on the victim's behavior. Social networks, public comments, profiles on professional platforms, consumption habits, and engagement history provide the attacker with a rich database. With this, it is possible to infer religious beliefs, sexual preferences, financial conditions, emotional bonds, and even moments of personal vulnerability, such as grief or recent job loss.

In 2019, an attack targeting an HR executive at a multinational company exploited a public post in which she mentioned the death of a family member. Days later, she received an email from a supposed emotional support network. The message was genuinely sensitive, and the link led to a fake registration page that required logging in with a corporate email address. The emotional recognition had been accurate.

Tools such as **Maltego**, **SpiderFoot**, **FOCA** Advanced data collection modules via Python are widely used for this phase.

They allow for cross-referencing public data, generating dossiers, and identifying emotional entry points.

PREPARING THE NARRATIVE

BAIT CONSTRUCTION

With the target's emotional profile in hand, the attacker begins to structure the message. This construction follows principles of persuasive psychology. Terms such as scarcity, urgency, authority, reciprocity, and social proof are applied to the content to reduce critical thinking and stimulate action.

Language is key. Emails written with deliberate typos are becoming less and less common. Today, criminals invest in professional copywriting, short, objective texts that generate maximum impact with minimal resistance. The goal is to create a quick and emotional reading experience, capable of producing an automatic decision.

Example: *"You have been selected from among the most faithful members of our congregation. Click below to confirm your attendance at the special meeting with spiritual leaders."* The

content, in a single paragraph, evokes faith, status, and the fear of missing a unique opportunity.

EXECUTION

The initial submission and interaction.

Once the bait is created, it's launched via email, direct message on social media, messaging apps, or even by phone. The goal isn't just clicks, but emotional engagement. More sophisticated campaigns involve an initial conversation, followed by a call to action. This approach is common in romance scams, charity scams, and financial manipulation.

To the landing page (**landing page**) is treated with the same aesthetic care. Often, perfect clones of legitimate platforms are used. Frameworks such as **SET (Social Engineering Toolkit)**, **Evilginx2**, **Blackeye** e **Modlishka** They allow capturing cookies, session tokens, and credentials in real time, even with MFA.

COMMITMENT

DATA DELIVERY OR ACTION EXECUTION

Compromise can occur in various ways: sending credentials, installing malware, bank transfers, sending documents, or remote access. In all cases, success depends on the depth of emotional manipulation. The more involved the victim is, the greater the level of trust and, therefore, the level of surrender.

Successful social engineering campaigns don't just obtain data. They install narratives. Many victims, even after realizing they've fallen for a scam, have difficulty accepting their mistake because the narrative resonated emotionally. This resistance hinders a rapid response to the incident and encourages the attack to persist.

POST-COMMITMENT PSYCHOLOGICAL AND TECHNICAL PERSISTENCE

After the initial compromise, the attacker can continue exploiting the emotional bond. In relationship scams, for example, the criminal maintains the conversation, requests more data, and uses emotional blackmail to gain further access. In corporate contexts, it is common to use a compromised email account to send internal messages and compromise other team members, exploiting trust between colleagues.

Persistence also occurs technically. Lightweight malware, such as stealers and keyloggers, are used to maintain access, monitor habits, and prepare new attacks, now with greater depth.

REVISION

The anatomy of an emotional attack reveals that we are facing an extremely adaptable exploitation model. It doesn't rely on vulnerabilities in software, but in people. It is silent, difficult to track, and often harmless in the eyes of traditional security solutions.

Recognizing each phase of this process is the first step in combating it. Defense must go beyond technique. It is necessary to invest in emotional intelligence, critical thinking, behavioral analysis, and, above all, the ability to recognize that...**Everyone, regardless of their position or background, carries within them an exploitable flaw..**

Chapter 7

REALISTIC SIMULATIONS WITH **GOPHISH** AND EMOTION-BASED CAMPAIGNS

Theory is essential, but security only improves with applied practice. In this chapter, you will learn how to build a realistic emotional phishing campaign, step by step, using one of the most effective open-source tools on the market: **GoPhish**. This tool allows you to simulate phishing attacks in controlled environments, collect accurate metrics, and strengthen the team's emotional maturity in the face of real threats.

Internal simulations aren't just for "testing clicks." They're for understanding how, why, and when people click, and more than that: they're for adjusting culture, processes, and technology.

Below, you will find a complete guide, from installation to final report, focusing on campaigns based on emotional triggers such as faith, pleasure, and greed.

INTRODUCTION TO **GOPHISH**

GoPhish is a free and open-source phishing attack simulation platform developed in Go. It offers a simple, intuitive, and robust web interface for creating customized campaigns, managing users, and viewing results in real time.

Requirements:

- I. Operating system: Windows, Linux, or macOS
- II. Internet access for sending emails.
- III. SMTP account (real or fake, depending on the type of test)
- IV. Administrator access (to open ports, if necessary)

Download:

- I. Visit the official website: <https://getgophish.com>
- II. Clique em Download Latest Release
- III. Choose the corresponding operating system.
- IV. Extract the files to a folder of your choice.

INSTALLATION AND EXECUTION

No Windows:

- I. Extract the .zip file.
- II. Open the Command Prompt in the folder where the executable file is located.
- III. Execute o gophish.exe

No Linux/macOS:

- I. Extract the .tar.gz file.
- II. Grant execute permission:
- III. `chmod +x gophish`
- IV. Execute. `./gophish`
- V. Administrative interface (web panel):
`https://localhost:3333`
- VI. Landing page interface: `https://localhost:80` (or another address you define)
- VII. Default Username: Email: `admin@gophish.io` and
Password: `gophish`

It is recommended to change your password immediately in the control panel.

INITIAL CONFIGURATION

SMTP (email sending server)

You can use:

- I. An internal company SMTP server (ideal for internal testing)
- II. A test server like Mailtrap (for a controlled environment)
- III. A legitimate service like Gmail or SendGrid (not recommended without permission)

EMAIL TEMPLATES

Create emails with emotional language:

- I. Faith: "Urgent message from your spiritual group"
- II. Pleasure: "Intimate video available - check it out now"
- III. Greed: "You have been pre-selected for a bonus of R\$ 3,000"

TECHNICAL TIPS

- I. Use variables like `{{.FirstName}}` to customize
- II. Insert links to cloned pages (landing pages).
- III. Enable click tracking and fake credential collection (controlled environment only!)

CREATING THE CAMPAIGN STEP BY STEP

- I. Login to the dashboard
- II. Go to Sending Profiles
 - I. Configure your email and SMTP server.
- II. Go to Email Templates
- III. Create or edit your template.
- IV. Insert a fake link using `{{.URL}}`
- V. Go to Landing Pages

- VI. Clone real pages (with or without password capture)
- VII. Enable fake data collection if you want to track submissions.
- VIII. Go to Users & Groups
 - IX. Import users (name + email)
 - X. It can be in CSV format.
- XI. Go to Campaigns
 - XII. Give the campaign a name.
- XIII. Choose the user group.
- XIV. Choose an email template.
- XV. Choose the sending profile
- XVI. Start the campaign

EXECUTION AND MONITORING

As soon as the campaign starts, you will see it in real time:

- 1) How many emails were sent?
- 2) How many were opened?
- 3) How many links were clicked?
- 4) How many (fake) credentials were submitted?

You can export the campaign data as CSV or JSON for further analysis.

DELIVERY OF FINAL REPORT

To document and present the simulation results, follow this structure:

Executive Summary

- ⇒ Simulation objective
- ⇒ Type of emotional engineering used

Methodology

- ⇒ Tool used (GoPhish)
- ⇒ Emotional triggers explored
- ⇒ Number of users tested

Results

- ⇒ Email open rate

- ⇒ Click-through rate
- ⇒ Number of credential submissions
- ⇒ Average reaction time

Analysis

- ⇒ Which triggers were most effective?
- ⇒ Is there a correlation with job title, area, or profile?

Recommendations

- ⇒ Corrective actions
- ⇒ Need for specific training
- ⇒ Technical protection adjustments

Considerations

Emotion-based simulations are not just technical tests; they are behavioral training. By using tools like GoPhish responsibly, your company develops real immunity against modern threats. Every click is a lesson. And every metric is an opportunity to grow.

Chapter 8

Emotional and Technical Defense Checklists

Protection against cyberattacks based on social engineering requires more than firewalls, antivirus software, and password policies. As demonstrated in previous chapters, the greatest vectors of compromise are not technical, but human. And when the entry point is an emotion like...**faith, pleasure or greed** The response needs to combine emotional structure, technical protocols, and strategic education.

In this chapter, I present a series of checklists divided by context. Each one can be used directly in practice, whether in prevention, auditing, or incident response actions.

Emotional Protection Checklist for Employees

Aim:

To strengthen employees' awareness and emotional resilience in the face of phishing campaigns and psychological manipulation.

- I. () The company offers monthly or quarterly training focused on emotional social engineering.
- II. () The training includes sensitive topics such as religion, sexual content and financial promises, using appropriate language.
- III. () Employees know how to identify phrases that trigger feelings of urgency, scarcity, and authority.
- IV. () The team has the freedom to report suspicious messages without fear of retaliation.
- V. () There is a clear and accessible channel for reporting phishing emails.
- VI. () Employees were exposed to phishing simulations with personalized emotional triggers.
- VII. () The HR or management team monitors potential moments of emotional vulnerability (grief, dismissal, conflict) that could be exploited.

- VIII. () There is internal content or guides on emotional safety for individual use.
- IX. () The company promotes a culture of active listening, reducing isolation and susceptibility to external narratives.
- X. () The emotional behavior of employees in relation to digital communications is periodically evaluated.

Technical Checklist for Mitigating Attacks Based on Emotional Phishing

Aim:

To ensure that the security infrastructure is prepared to identify, block, and respond to social engineering-based attacks.

- I. () Active DNS Filtering blocking newly created domains or those with low reputation.
- II. () Integration with tools such as **PhishTank, OpenPhish, VirusTotal API and urlscan.io**.
- III. () Monitoring of similar domains using **DNSTwist** to identify typosquatting.
- IV. () Antivirus and EDR with behavioral detection and integration with threat intelligence.
- V. () Analysis of outbound traffic to detect connections to suspicious servers after clicks.
- VI. () Sandboxing mechanism for pre-analysis of attachments and links received by email.
- VII. () Centralized SIEM logs with alerts for emotionally sensitive keywords (and: **“miracle”, “urgent”, “intimate video”, “quick profit”**).

- VIII. () Spoofed emails blocked via correctly configured SPF, DKIM, and DMARC.
- IX. () Network segmentation with lateral propagation limitation after compromise.
- X. () MFA is mandatory, including for email and access to internal systems even on mobile devices.

Strategic Management and Organizational Culture Checklist

Aim:

Aligning emotional and technical security with leadership, processes, and organizational decision-making.

- I. () Leaders are trained to understand and identify social engineering targeting executive positions.
- II. () There is a clear policy for secure communication, including for emergencies or internal mobilization.
- III. () All leadership went through spear phishing simulations.
- IV. () The organization adopts the security champions model in higher-risk sectors.

- V. () There is a policy for rapid response to leaks or exposures of public team data.
- VI. () Awareness campaigns are updated based on real events (e.g., recent attacks on companies in the same sector).
- VII. () The organization invests in language diversity in training (visual, textual, oral) to reach different cognitive profiles.
- VIII. () Metrics of emotional maturity and behavioral resilience are used in human risk reports.
- IX. () There is a budget allocated to emotional safety in the annual awareness plan.
- X. () Internal communication reinforces safety as a culture and not as a punishment.

Defending against emotional attacks is not a task exclusive to the security team. It begins with individual behavior, extends to organizational culture, and is consolidated through technical and educational processes. The checklists presented here serve as a working basis for building a protection architecture that does not ignore the human factor, but values it as a central link in security.

In the next section, we will delve even deeper into this perspective and show how to simulate realistic emotional

phishing campaigns with open-source tools and how to interpret the results to make business decisions.

Chapter 9

Annotated Glossary of Social Engineering and Emotional Phishing

For information security professionals, mastering technical vocabulary is essential. But when the subject involves social engineering and emotional exploitation, some words take on specific and often subtle meanings, becoming tools as powerful as exploits or payloads. This annotated glossary brings together the most relevant terms discussed in this book, with clear explanations, contexts of use, and practical implications.

1. SOCIAL ENGINEERING

DefinitionA set of techniques that exploit emotional, psychological, and behavioral aspects to manipulate people and obtain information or access to systems.

Comment:It's the human equivalent of exploiting vulnerabilities in systems. The difference is that the "payload" here is the narrative itself.

2. PHISHING

Definition: A technique that uses fake messages, usually via email, to trick the victim into revealing confidential information or performing dangerous actions.

Comment: In emotional phishing, the focus is on using triggers such as fear, faith, pleasure, or greed to create urgency or empathy.

3. SPEAR PHISHING

Definition: A variant of phishing targeted at specific individuals, with a high level of personalization.

Comment: When combined with emotional profiles (e.g., recent loss, expected promotion), it becomes extremely effective.

4. VISHING (VOICE PHISHING)

Definition: Attempted fraud using phone calls, in which the attacker impersonates someone trustworthy.

Comment: Very common in emotional tech support scams, data kidnapping, or emotional extortion.

5. BAITING

Definition: Social engineering based on offering something of value (real or imagined) to lure the victim.

Comment: Examples include intentionally "forgotten" USB drives or promises of exclusive content.

6. PRETEXTING

Definition: A technique in which the attacker creates a false story or identity to obtain information.

Comment: Fundamental in attacks based on authority or faith.
Ex: "I'm from the IT team, I need to reset your access."

7. PSYCHOLOGICAL PAYLOAD

Definition:A message or emotional element constructed to cause an immediate impact and force an automatic reaction.

Comment:It's not software. It's a phrase, an image, a title. For example: "Your intimate video has been leaked."

8. EMOTIONAL TRIGGER

Definition:A stimulus that triggers a specific emotion, reducing rational analysis and increasing impulsivity.

Comment:The main emotions explored are: fear, pleasure, hope, guilt, greed, faith, and shame.

9. ZERO-DAY HUMANO

Definition: A concept that defines an emotional or cognitive flaw in the behavior of a person or group that has not yet been "corrected."

Comment:While companies look for CVEs in software, the real access may lie in untreated emotions.

10. OSINT (OPEN SOURCE INTELLIGENCE)

Definition:Gathering publicly available information for target identification.

Comment:Used to build detailed emotional profiles by exploring social networks, blogs, and public interactions.

11. AWARENESS

Definition:A set of educational actions to increase awareness and the ability to identify security risks.

Comment:It needs to evolve from "don't click on links" to "understand how you are being emotionally manipulated."

12. SIMULATION CAMPAIGN

(PHISHING SIMULATION)

Definition:A controlled and authorized test that simulates a phishing attack to measure user response.

Comment:When based on emotional engineering, it becomes a complete behavioral training program.

13. DIGITAL IMPULSIVE REACTION

Definition: Automatic and irrational behavior in response to an online stimulus.

Comment: The goal of all emotional phishing is to provoke exactly that.

14. PSYCHOLOGICAL PERSISTENCE

Definition: A mental state in which the victim continues to believe the narrative even after warnings.

Comment: It reinforces the importance of having empathy and psychological support when responding to incidents.

15. SAFETY CULTURE

EMOTIONAL

Definition: An organizational environment that recognizes emotions as part of the risk and invests in behavioral protection.

Comment: Companies that only talk about firewalls and MFA are protecting the wrong ports.

Mastering vocabulary is a weapon of defense. Understanding terms not only by definition but also by their real-world effects allows security professionals to navigate between the technical and the human aspects with greater awareness. This glossary is not just a reference; it's an invitation to continuous emotional vigilance.

May God bless and protect you.

Author: Giuliano Païão